




PUERTA **CORREDIZA**
RANGE SLIDING DOORS


SISTEMA DE DESLIZAMIENTO "MIRROR"
SLIDING SYSTEM "MIRROR"




PATENT
PENDING



 Cubierta abatible
en Aluminio
*Opening-cover track
made in aluminium*




 Rampa click-clack fácilmente desmontable
Click-clack grooves, easy to replace





 Bloqueo de seguridad al centro del Riel
*Travel-stop element placed at the center
of the sliding track*

TECHNICAL DETAILS



 Sistema simétrico
Symmetric system



 Polea y Riel de deslizamiento
Roll-over track and wheels

El sistema de deslizamiento "Mirror" puede ser utilizado en puertas con dimensión máxima de 4000 x 4000mm. La configuración de nuestro Riel y el diseño de nuestra Polea, garantizan una óptima rectitud evitando cualquier riesgo de descarrilamiento. Este sistema fue desarrollado para permitir una instalación fácil y rápida, siendo suministrado en empaque compacto para su práctico transporte.

Opcional:

El diseño innovador de nuestro sistema corredizo, consiste en la unión de 2 piezas para conformar un elemento; tanto la Cubierta en aluminio, como el Riel de deslizamiento. Esto garantiza una excelente resistencia mecánica del sistema y un óptimo costo de transportación. En la parte superior de la cubierta son posicionadas sus bisagras, con el fin de permitir una apertura simple para limpieza y mantenimiento.


"Mirror" sliding system can be used on any MTH door, for size up to 4000 x 4000mm.

Track layout and design of wheels guarantee a perfect straightness of the door, and prevent any derailment risk. This system was developed to allow an easy and quick installation and removal, and it is supplied compactly packaged for optimal shipment.

Optional:

The track cover, with an innovative design, is made up of two elements, as well as the track. This makes stronger the overall system and reduces transport costs.

The hinges are placed on the upper part of the cover, in order to allow simple opening for cleaning or maintenance operations.



Nuestra gama de Puertas Corredizas con exclusivo sistema de apertura modelo "Mirror", ofrece un excelente desempeño y gran durabilidad en cámaras frigoríficas de media y baja temperatura.

Las puertas corredizas MTH son compuestas por los 3 elementos: Marco, Hoja Aislante y Riel de Deslizamiento, elementos bajo estricto diseño que permiten instalar de forma muy sencilla y en tiempo record, obteniendo a la vez atractivos acabados técnica y estructuralmente sólidos.

The range of sliding doors with "Mirror" sliding system is suitable for all cold rooms, both positive and negative temperature.

The MTH sliding doors structurally consist on three elements (frame, blade and sliding track), this design solution is easy and quick to in-install, obtaining attractive finishes that are also technically and structurally solid.